


Tungsten Carbide catalog


6 Bladed Operative & Surgical

Round




U.S. #	1/4	1/2	1	2	3	4	5	6	7	8
DIA. (mm)	0.50	0.70	0.80	1.00	1.20	1.40	1.60	1.80	2.10	2.30
FG	1001/4	1001/2	100001	100002	100003	100004	100005	100006	100007	100008
FGSS	3001/4	3001/2	300001	300002	300003	300004	300005	300006	300007	300008
FGOS	5001/4	5001/2	500001	500002	500003	500004	500005	500006	500007	500008
RA	2001/4	2001/2	200001	200002	200003	200004	200005	200006	200007	200008
HP	6001/4	6001/2	600001	600002	600003	600004	600005	600006	600007	600008

Amalgam Prep




U.S. #	245	246	256	257
DIA. (mm)	0.80	1.20	0.80	1.00
FG	100245	100246	100256	100257
FGSS	300245			
FGOS				
RA	200245			
HP				

Pear




U.S. #	329	330	331	332
DIA. (mm)	0.60	0.80	1.00	1.20
FG	100329	100330	100331	100332
FGSS	300329	300330	300331	
FGOS				
RA		200330		200332
HP				

End Cutting




U.S. #	956	957
DIA. (mm)	0.80	1.00
FG	100956	100957
FGSS	300956	300957
FGOS		
RA		
HP		

Inverted Cone




U.S. #	33 1/2	34	35	36	37	38	39
DIA. (mm)	0.70	0.80	1.00	1.20	1.40	1.60	1.80
FG	1331/2	100034	100035	100036	100037	100038	100039
FGSS	3331/2	300034	300035				
FGOS			500035				
RA	2331/2	200034	200035		200037		
HP	6331/2	600034	600035	600036	600037		

Round End Cross Cut Tapered Fissure




U.S. #	1701	1702	1703
DIA. (mm)	1.20	1.60	2.10
FG	101701	101702	101703
FGSS			
FGOS		501702	
RA			
HP	601701	601702	601703

Round End Tapered Fissure



U.S. #	1169	1170	1171	1172
DIA. (mm)	0.90	1.00	1.20	1.60
FG	101169	101170	101171	101172
HP		601170	601171	601172

Long Cross Cut Tapered Fissure



U.S. #	700L	701L	702L
DIA. (mm)	1.00	1.20	1.60
FG	10700L	10701L	10702L
HP	60700L	60701L	60702L

* Available in Long Series

FG: Friction Grip

FGSS: Friction Grip Short Shank

FGOS: Friction Grip Surgical Length


RA: Right Angle Latch Type

HP: Hand Piece Straight Shank

Tungsten Carbide catalog


6 Bladed Operative & Surgical

Fissure




U.S. #	55	56	57	58	58L	59
DIA. (mm)	0.80	0.90	1.00	1.20	1.20	1.40
FG	100055	100056	100057	100058	10058L	100059
FGSS		300056	300057	300058		
FGOS						
RA	200056	200057				
HP	600056	600057		60058L	600059	

Round End Fissure




U.S. #	1155	1156	1157	1158
DIA. (mm)	0.80	0.90	1.00	1.20
FG	101155	101156	101157	101158
FGSS		301156	301157	301158
FGOS				501158
RA				
HP		601157	601158	

Round End Cross Cut Fissure




U.S. #	1556	1557	1558
DIA. (mm)	0.90	1.00	1.20
FG	101556	101557	101558
FGSS		301557	301558
FGOS		501557	501558
RA		201557	201558
HP	601556	601557	601558

Tapered Fissure




U.S. #	167	168	169	170	171
DIA. (mm)	0.70	0.80	0.90	1.00	1.20
FG	100167	100168	100169	100170	100171
FGSS			300169	300170	300171
FGOS					500171
RA				200170	
HP		600169	600170	600171	

Cross Cut Fissure




U.S. #	556	557	558	559	559L	560
DIA. (mm)	0.90	1.00	1.20	1.40	1.40	1.60
FG	100556	100557	100558	100559	10559L	100560
FGSS	300556	300557	300558			
FGOS	500556	500557	500558	500559		
RA	200556	200557				
HP	600556	600557	600558	600559		600560

Long Tapered Fissure



U.S. #	169L	170L	171L
DIA. (mm)	0.90	1.00	1.20
FG	10169L	10170L	10171L
FGSS			
FGOS			
RA			
HP	60169L	60170L	60171L

Cross Cut Tapered Fissure



U.S. #	699	700	701	702	703
DIA. (mm)	0.90	1.00	1.20	1.60	2.10
FG	100699	100700	100701	100702	100703
FGSS	300699	300700	300701		
FGOS			500701	500702	500703
RA	200699	200700			
HP	600699	600700	600701	600702	600703

* Available in Long Series

FG: Friction Grip

FGSS: Friction Grip Short Shank

FGOS: Friction Grip Surgical Length


RA: Right Angle Latch Type

HP: Hand Piece Straight Shank

Tungsten Carbide catalog


Trimming and Finishing - 12 & 30 Blades

Round




U.S. # 12FL	7002	7003	7004	7006	7008	7009
U.S. # 30FL			9004	9006	9008	
DIA. (mm)	1.00	1.20	1.40	1.80	2.30	2.70
12 flutes	707002	707003	707004	707006	707008	707009
30 flutes			909004	909006	909008	

Tapered




U.S. # 12FL	7611	7612	7702	7713	7714
U.S. # 30FL					9714
DIA. (mm)	1.00	1.40	1.00	1.20	1.40
12 flutes	707611	707612	707702	707713	707714
30 flutes					909714

Curettage



U.S. # 12FL	7283K6	7282K6
U.S. # 30FL		
DIA. (mm)	1.60	1.60
12 flutes	7283K6	7282K6
30 flutes		

Parallel Bevel




U.S. # 12FL	7283-2	7283-4	7284-4
U.S. # 30FL			
DIA. (mm)	1.20	1.40	1.40
12 flutes	7283-2	7283-4	7284-4
30 flutes			

Long Pear




U.S. # 12FL	7303	7304
U.S. # 30FL		
DIA. (mm)	1.20	1.40
12 flutes	707303	707304
30 flutes		

Flame



U.S. # 12FL	7102	7104	7106	7108
U.S. # 30FL				
DIA. (mm)	1.20	1.40	1.80	2.30
12 flutes	707102	707104	707106	707108
30 flutes				

Tapered



U.S. # 12FL	7114	7204	7205	7206	7214	7375-4
U.S. # 30FL					9214	
DIA. (mm)	0.90	1.40	1.60	1.80	1.20	1.40
12 flutes	707114	707204	707205	707206	707214	7375-4
30 flutes					909214	


* Available in Long Series
FG: Friction Grip
FGSS: Friction Grip Short Shank

FGOS: Friction Grip Surgical Length
RA: Right Angle Latch Type
HP: Hand Piece Straight Shank

Tungsten Carbide catalog


Trimming and Finishing - 12 & 30 Blades

Composite Trimming



U.S. # 12FL	EF3	EF4	EF6	EF9
U.S. # 30FL	UF3	UF4	UF6	UF9
DIA. (mm)	0.80	1.00	1.40	1.40
12 flutes	700EF3	700EF4	700EF6	700EF9
30 flutes	9EF3UF	9EF4UF	9EF6UF	9EF9UF

Round End Taper



U.S. # 12FL	7642	7653	7664	7675
U.S. # 30FL	9642			
DIA. (mm)	1.00	1.20	1.40	1.60
12 flutes	707642	707653	707664	707675
30 flutes	909642			

Chamfering



U.S. # 12FL	7345
U.S. # 30FL	
DIA. (mm)	1.50
12 flutes	707345
30 flutes	

Bullet



OS3 OS2



U.S. # 12FL	7800	7801	7802	7803
U.S. # 30FL	9800	9801	9802	9803
DIA. (mm)	0.70	0.90	1.00	1.20
12 flutes	707800	707801	707802	707803
30 flutes	909800	909801	909802	909803

Egg Shape



OS1



U.S. # 12FL	7404	7406	7408
U.S. # 30FL	9404	9406	9408
DIA. (mm)	1.40	1.80	2.30
12 flutes	707404	707406	707408
30 flutes	909404	909406	909408

Straight Cylinder



U.S. # 12FL	7572
U.S. # 30FL	9572
DIA. (mm)	1.20
12 flutes	707572
30 flutes	909572

Needle



U.S. # 12FL	7901	7902	7903
U.S. # 30FL			9903
DIA. (mm)	0.90	1.00	1.20
12 flutes	707901	707902	707903
30 flutes			909903

Interproximal



U.S. # 12FL	7103	7602
U.S. # 30FL	9103	9602
DIA. (mm)	1.20	1.00
12 flutes	707103	707602
30 flutes	909103	909602

* Available in Long Series
FG: Friction Grip
FGSS: Friction Grip Short Shank

FGOS: Friction Grip Surgical Length
RA: Right Angle Latch Type
HP: Hand Piece Straight Shank

Tungsten Carbide catalog

Barracuda - Metal cutting

Round



Inverted Cone



Pear



U.S. #	2G	4G	6G	8G	34G	35G	37G	330G	331G	245G
DIA. (mm)	1.00	1.40	1.80	2.30	0.80	1.00	1.40	0.80	1.00	0.80
FG	40002G	40004G	40006G	40008G	40034G	40035G	40037G	40330G	40331G	40245G

Cross Cut Fissure



Round End Cross Cut Fissure



Cross Cut Tapered Fissure



U.S. #	556G	557G	558G	1557G	1558G	701G	702G
DIA. (mm)	0.90	1.00	1.20	1.00	1.20	1.20	1.60
FG	40556G	40557G	40558G	41557G	41558G	40701G	40702G

Endodontic

Endo Access



U.S. #	152EZ	219EZ	199Z	151Z
DIA. (mm)	1.40	1.40	1.60	1.60
FG	4152EZ	4219EZ	40199Z	40151Z

* Available in Long Series
FG: Friction Grip
FGSS: Friction Grip Short Shank

FGOS: Friction Grip Surgical Length
RA: Right Angle Latch Type
HP: Hand Piece Straight Shank